

**SOLID STATE MEMORY
COCKPIT VOICE RECORDER**

PART NO: 980-6022-

0 0 1

CUST PN:

SERIAL NO: 6 2 5 7 8

DATE CODE: 9 8 3 5

UNIT WEIGHT: 17 LBS MAX

NOM VOLTAGE: 115VAC 400HZ1Ø OR +28VDC

NOM POWER: 12 WATTS

**SOLID STATE MEMORY
COCKPIT VOICE RECORDER**

PART NO: 980-6022-

0 0 1

CUST PN:

SERIAL NO:

6 2 5 7 8

DATE CODE:

9 8 3 5

UNIT WEIGHT: 17 LBS MAX

NOM VOLTAGE: 115VAC 400Hz 710 0B +28VDC

**SOLID STATE MEMORY
COCKPIT VOICE RECORDER**

PART NO: 980-6022- 0 0 1

CUST PN:

SERIAL NO: 6 2 5 7 8

DATE CODE: 9 8 3 5

UNIT WEIGHT: 17 LBS MAX

NOM VOLTAGE: 115VAC 400HZ1Ø OR +28VD

NOM POWER: 12 WATTS

TSO-C123a, ED-12B/DO-178B S/W LEVEL

DO-160C ENV CAT:

D2-BB(BCLMNV)E1XXXFXAAAAZVZ

**SOLID STATE MEMORY
COCKPIT VOICE RECORDER**

PART NO: 980-6022-

001

CUST PN:

SERIAL NO:

62578

DATE CODE:

9835

UNIT WEIGHT: 17 LBS MAX

NOM VOLTAGE: 115VAC 400HZ1Ø OR +2

NOM POWER: 12 WATTS

TSO-C123a, ED-12B/DO-178B S/W LE

DO-160C ENV CAT.

SOLID STATE MEMORY COCKPIT VOICE RECORDER

PART NO: 980-6022- 0 0 1

CUST PN:

SERIAL NO: 6 2 5 7 8

DATE CODE: 9 8 3 5

UNIT WEIGHT: 17 LBS MAX

NOM VOLTAGE: 115VAC 400HZ1Ø OR +28VDC

NOM POWER: 12 WATTS

TSO-C123a, ED-12B/DO-178B S/W LEVEL: C

DO-160C ENV CAT:

D2-BB(BCLMNVE1XXXFXAAAAZVZLXX

MOD STATUS

☒ ☒ ☒ ☒ ☒ ☒ ☐ ☒ ☒ ☐
1 2 3 4 5 6 7 8 9 10

☐ ☐ ☐ ☐ ☒ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
11 12 13 14 15 16 17 18 19 20 21 22 23 24 25

HONEYWELL INTERNATIONAL INC.
REDMOND, WA CAGE CODE 97896

Honeywell

WARNING: DO NOT OPEN, DISASSEMBLE, CRUSH,
PENETRATE, INCINERATE, OR EXPOSE TO TEMPERATURES ABOVE
160° F. SEE TECHNICAL MANUAL FOR NECESSARY INFORMATION
CONCERNING INSTALLATION, USE, TESTING,
MAINTENANCE AND DISPOSAL. REMOVE FROM
SERVICE AT EXPIRATION DATE SHOWN BELOW.

CODE

F

SERVICE BEACON/BATTERY BY END OF

SERIAL NO.

JAN APR JUL OCT 2024
FEB **APR 2031** 5
MAR 6

AT82891

DD-150C ENV CAT
DD-88(B)CLMVIE1XXXFKAAAAZVZLX
MOD STATUS 


Honeywell



DUKANE BEACONS, INC.
Sarasota, FL 34240 USA
TSD-C1219, TSD-C1429,
ETSD-C1219, ETSD-C1429

WARNING: DO NOT OPEN, DISASSEMBLE, CRUSH,
PENETRATE, INCINERATE, OR EXPOSE TO TEMPERATURES ABOVE
160° F. SEE TECHNICAL MANUAL FOR NECESSARY INFORMATION
CONCERNING INSTALLATION, USE, TESTING,
MAINTENANCE, AND DISPOSAL. REMOVE FROM
SERVICE AT EXPIRATION DATE SHOWN BELOW.

CODE

F

SERVICE BEACON/BATTERY BY END OF

SERIAL NO.

JAN 2024
FEB 2024
MAR 2024
APR 2031
MAY 2031
JUN 2031
JUL 2031
AUG 2031
SEP 2031
OCT 2031
NOV 2031
DEC 2031

AT82891



CAUTION
SENSITIVE ELECTRONIC DEVICES
DO NOT OPEN EXCEPT AT
APPROVED FIELD FORCE
PROTECTIVE WORK STATION

WARNING: DO NOT OPEN, DISASSEMBLE, CRUSH,
PUNCTURE, INCINERATE, OR EXPOSE TO TEMPERATURES ABOVE
180°F SEE TECHNICAL MANUAL FOR NECESSARY INFORMATION
(CONSTRUCTION, MAINTENANCE, USE, ETC.)

MAINTENANCE: AND SHUT DOWN. (REMOVE FROM
SERVICE) AND REPAIR/REPAIR DATE SHOWN BELOW.

SERVICE BEACON BATTERY BY END OF		SERIAL NO.
JAN	APR 2031	AT82891
FEB		
MAR		

D2-BB160C ENH CAT.
D2-BB160C ENH CAT.
MOD STATUS

1	2	3	4	5	6	7	8	9	10
○	○	○	○	○	○	○	○	○	○
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25					

Honeywell



CAUTION
SENSITIVE ELECTRONIC DEVICES
DO NOT OPEN EXCEPT AT
APPROVED FIELD FORCE
PRODUCTION WORK CENTER

WARNING: DO NOT OPEN DISASSEMBLE, CRUSH,
PUNCTURE, INCINERATE, OR EXPOSE TO TEMPERATURES ABOVE
160°F. SEE TECHNICAL MANUAL FOR NECESSARY INFORMATION
CONCERNING INSTALLATION, LIFE, TESTING,
MAINTENANCE, AND DISPOSAL. FAILURE TO FOLLOW
SERVICE AT APPROVED WORK CENTER MAY VOID WARRANTY.

SERVICE REASON/BATTERY BY END OF		SERIAL NO.
JAN	APR 2031	F
FEB		
MAR		

DO-160C ENV CAT:
02-BB(BCLMV)E1XXXFXAAA ZVLXX
MOD STATUS ☒ 1 ☒ 2 ☒ 3 ☒ 4 ☒ 5 ☒ 6 ☒ 7 ☒ 8 ☒ 9 ☒ 10
☐ 11 ☐ 12 ☐ 13 ☐ 14 ☐ 15 ☐ 16 ☐ 17 ☐ 18 ☐ 19 ☐ 20 ☐ 21 ☐ 22 ☐ 23 ☐ 24 ☐ 25
HONEYWELL INTERNATIONAL INC.
FURNISHING AS SPEC CODE 5100

Honeywell



2000 INSTRUMENTS & EQUIPMENT, INC.
10000 W. 15th Ave. Suite 100
Denver, CO 80202
TEL: 715-594-7055 FAX: 715-594-7056
E-MAIL: SALES@AIA-INST.COM
WWW.AIA-INST.COM
INSTRUMENT CLASS 1-2-3-4
RADIO CLASS 1-2-3
ACCESSORY CLASS 1-2
PHONE: 715-594-7055 FAX: 715-594-7056
<http://www.aia-inst.com>



CAUTION

SENSITIVE ELECTRONIC DEVICES
DO NOT OPEN EXCEPT AT
APPROVED FIELD FORCE
PROTECTIVE WORK STATION

AERO INSTRUMENTS & AVIONICS, INC.

3332 WALDEN AVENUE, STE. 100
DEPEW, NY 14043 USA



FAA AIR AGENCY CERT NO. NC1R343K
EASA CERT NO. EASA.145.4037

INSTRUMENT CLASS 1 - 2 - 3 - 4
RADIO CLASS 1 - 2 - 3
ACCESSORY CLASS 2 - 3

PHONE: 716-694-7060 FAX 716-694-7594
<http://www.aeroinst.com>



CAUTION

SENSITIVE ELECTRONIC DEVICES
DO NOT OPEN EXCEPT BY
APPROVED FIELD PERSONNEL
PROTECTIVE WORK STATION



Honeywell

ENREGISTREUR
DE VOL
NE PAS OUVRIR

CAUTION
REACTIVE ELECTRICAL DEVICES
DO NOT OPEN EXCEPT AT
APPROVED FIELD SERVICE
INSTRUCTIVE MAIN STATION



**ENREGISTREUR
DE VOL
NE PAS OUVRIR**

Honeywell



Honeywell
**FLIGHT
RECORDER
DO NOT OPEN**

FLIGHT
RECORDER
DO NOT OPEN




**FLIGHT
RECORDER
NOT OPEN**

**FUNCTIONALLY TESTED
WARRANTY VOID IF
SEAL IS BROKEN**



AERO INSTRUMENTS & AVIONICS, INC.







IN COMPLIANCE
WITH THE
FEDERAL AVIATION
ADMINISTRATION
REQUIREMENTS
FOR THE
RECORDING OF
FLIGHT DATA
AND COCKPIT
VOICE RECORDING
EQUIPMENT

Honeywell

**FLIGHT
RECORDER
DO NOT OPEN**





TOP

ITT
CANNON

9817