


STORE THE UNIT ABOVE 90C.  
BATTERY MAY BE DAMAGED BY  
EXPOSURE TO EXCESSIVE  
TEMPERATURES.

HONEYWELL RECOMMENDS BATTERY  
REPLACEMENT BY A QUALIFIED REPAIR  
FACILITY BEFORE:

11/2002

PNR 7519200-920



Honeywell International Inc.  
REDMOND, WA USA

Honeywell

COMMUNICATIONS MGMT. UNIT  
MARK III CMU

H-CE  
210

DO 160D ENV CAT [(A2)(F2)W]BBB[(SCLMY)]  
EXXXXXZ[EBZ]A[EZ]Z[RRR]M[AZE3]XXA

MAX WEIGHT: SER CMUMK3-00738  
12.0 LBS 5.4 KG DMF 012003 MFR 97896



MOD

Honeywell

MARK III  
COMMUNICATIONS  
MGMT UNIT

PASS



FAIL



PUSH  
TO  
TEST



DATA LOADER

**CAUTION!**

UNIT CONTAINS A BATTERY  
CONTAINING LITHIUM, A  
FLAMMABLE AND EXPLOSIVE  
MATERIAL. DO NOT EXPOSE LITHIUM  
TO WATER. DO NOT CHARGE, SHORT  
CIRCUIT, PUNCTURE, INCINERATE OR  
STORE THE UNIT ABOVE 90C.  
BATTERY MAY BE DAMAGED BY  
EXPOSURE TO EXCESSIVE  
TEMPERATURES.

HONEYWELL RECOMMENDS BATTERY  
REPLACEMENT BY A QUALIFIED REPAIR  
FACILITY BEFORE:

11/2021

PNR 7519200-920



Honeywell International Inc.  
REDMOND, WA USA


Honeywell

COMMUNICATIONS MGMT. UNIT  
MARK III CMU

H-CE  
210

DO 160D ENV CAT [(A2)(F2)W]BBB[(SCLMY)]  
EXXXXZ[EBZ]A[EZ]Z[RRR]M[A2E3]XXA

MAX WEIGHT: SER CMUMK3-00738



Honeywell

MARK III  
COMMUNICATION  
MANAGEMENT UN

PASS



FAIL



PUSH  
TO  
TEST



DATA LOADER

**CAUTION!**

UNIT CONTAINS A BATTERY  
CONTAINING LITHIUM, A  
FLAMMABLE AND EXPLOSIVE  
MATERIAL. DO NOT EXPOSE LITHIUM  
TO WATER. DO NOT CHARGE, SHORT  
CIRCUIT, PUNCTURE, INCINERATE OR  
STORE THE UNIT ABOVE 90C.  
BATTERY MAY BE DAMAGED BY  
EXPOSURE TO EXCESSIVE  
TEMPERATURES.

RECOMMENDS BATTERY  
REPLACEMENT BY A QUALIFIED REPAIR  
TECHNICIAN BEFORE:

11/2021



WARNING: HIGH VOLTAGE  
DANGER: HIGH VOLTAGE  
DO NOT TOUCH THE UNIT  
OR THE COMPONENTS  
WHILE THE UNIT IS  
POWERED ON  
OR WHEN THE UNIT IS  
HOT  
DO NOT OPEN THE UNIT  
UNLESS YOU ARE  
A QUALIFIED SERVICE  
TECHNICIAN  
© 2008 SONY ELECTRONICS  
INC.

PSR-251220-020  
000000

WARNING: HIGH VOLTAGE  
DANGER: HIGH VOLTAGE  
DO NOT TOUCH THE UNIT  
OR THE COMPONENTS  
WHILE THE UNIT IS  
POWERED ON  
OR WHEN THE UNIT IS  
HOT  
DO NOT OPEN THE UNIT  
UNLESS YOU ARE  
A QUALIFIED SERVICE  
TECHNICIAN  
© 2008 SONY ELECTRONICS  
INC.

REC  
REC  
REC  
REC



FAA - PMA  
EMBAER 135 ALL MODELS  
EMBAER 145(  
)  
BOEING: 737-300, 400, 500, 600,  
700, 800, 900 SERIES  
747-200B, 200F, 300 SERIES

EMBAER 145



**Honeywell**  
Seattle Area  
Service Center

**CAUTION  
HIGH VOLTAGE**

**Honeywell**  
Seattle Area  
Service Center

**CAUTION  
HIGH VOLTAGE**

**Honeywell**  
Seattle Area  
Service Center

**Honeywell**  
Seattle Area  
Service Center